

SAFETY DATA SHEET

NALCO® 7330

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 7330

Other means of identification : Not applicable.

Recommended use : BIOCIDES

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company
1601 W. Diehl Road
Naperville, Illinois 60563-1198
USA
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 07/13/2022

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitization : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Harmful if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**
Keep only in original container. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.
Response:

SAFETY DATA SHEET

NALCO® 7330

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Storage:

Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Magnesium Nitrate	10377-60-3	1 - 5
5-Chloro-2-Methyl-4-Isothiazolin-3-one	26172-55-4	1.1
2-Methyl-4-Isothiazolin-3-one	2682-20-4	0.4

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

NALCO® 7330

- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Carbon oxides nitrogen oxides (NOx) Hydrogen chloride metal oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters, unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. DEACTIVATION SOLUTION - prepare a fresh solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water (i.e. add 50 grams of sodium bicarbonate per 1 liter of household bleach, seal container then shake well for 1 minute) away from the immediate area of spill. Prepare 10 times the estimated volume of the residual spill. The materials and equipment for preparing solutions should be kept available for use in areas where spills may occur.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

SAFETY DATA SHEET

NALCO® 7330

- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: HDPE (high density polyethylene), PTFE, Perfluoroelastomer, Polyvinylidene difluoride, Polypropylene, CPVC (rigid), Plexiglass
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Carbon steel, Stainless Steel 304, Nitrile, Brass, Nylon, Neoprene, EPDM, Fluoroelastomer, Plasite 7122, Stainless Steel 316L

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles
Face-shield
- Hand protection : Wear impervious chemical-resistant gloves when handling this product. The following glove types are recommended based on our review of glove manufacturer information and/or other available sources. Nitrile-rubber, Butyl-Rubber and Neoprene gloves. Other glove types may be used for short term, incidental contact if determined by testing to provide adequate worker protection. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection : No personal respiratory protective equipment normally required. If user operations generate significant vapours that cannot be controlled with ventilation or engineering controls, use an approved air-purifying respirator fitted with a gas and vapour cartridge. Use a particulate pre-filter where operations generate significant mists or aerosols. Recommended gas and vapour cartridge: Multi-purpose combination filter. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA or supplied-air respirator should be used.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

SAFETY DATA SHEET

NALCO® 7330

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Clear, Colorless to light green - yellow
Odour	: pungent
Flash point	: Not applicable.
pH	: 2 - 5
Odour Threshold	: no data available
Melting point/freezing point	: -4 °C, ASTM D-1177
Initial boiling point and boiling range	: 100 °C, Method: ASTM D 86
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: similar to water
Relative vapour density	: no data available
Relative density	: 1.026, (25 °C),
Density	: 8.5 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 3 mPa.s (25 °C)
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: 0 %, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.

SAFETY DATA SHEET

NALCO® 7330

- Incompatible materials : Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.
- Hazardous decomposition products : In case of fire, hazardous decomposition products may be produced such as:
Carbon oxides
nitrogen oxides (NO_x)
metal oxides
Hydrogen chloride

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact, Ingestion

Potential Health Effects

- Eyes : Causes serious eye damage.
- Skin : Harmful in contact with skin. Causes severe skin burns. May cause allergic skin reaction.
- Ingestion : Harmful if swallowed. Causes digestive tract burns.
- Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation.
- Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

- Eye contact : Redness, Pain, Corrosion
- Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions
- Ingestion : Corrosion, Abdominal pain
- Inhalation : Respiratory irritation, Cough
Respiratory irritation, Cough

Toxicity

Product

- Acute oral toxicity : no data available
- Acute inhalation toxicity : LC50 rat: 13.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Test substance: Product
- Acute dermal toxicity : no data available
- Skin corrosion/irritation : no data available
- Serious eye damage/eye : no data available

SAFETY DATA SHEET

NALCO® 7330

irritation

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute oral toxicity : 5-Chloro-2-Methyl-4-Isothiazolin-3-one
LD50 rat: 105 mg/kg
2-Methyl-4-Isothiazolin-3-one
LD50 rat: 105 mg/kg

Components

Acute dermal toxicity : Magnesium Nitrate
LD50 rat: > 5,000 mg/kg
5-Chloro-2-Methyl-4-Isothiazolin-3-one
LD50 rabbit: 200 mg/kg
2-Methyl-4-Isothiazolin-3-one
LD50 rabbit: 200 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : LC50 Cyprinodon variegatus (sheepshead minnow): 32 mg/l
Exposure time: 96 hrs
Test substance: Product

LC50 Inland Silverside: 16.62 mg/l
Exposure time: 96 hrs
Test substance: Product

LC50 Rainbow Trout: 7.5 mg/l
Exposure time: 96 hrs
Test substance: Product

LC50 Bluegill Sunfish: 13.3 mg/l
Exposure time: 96 hrs
Test substance: Product

SAFETY DATA SHEET

NALCO® 7330

LC50 *Cyprinodon variegatus* (sheepshead minnow): 0.3 mg/l

Exposure time: 96 hrs

Test substance: Active Substance

NOEC *Cyprinodon variegatus* (sheepshead minnow): 18 mg/l

Exposure time: 96 hrs

Test substance: Product

NOEC Inland Silverside: 12.5 mg/l

Exposure time: 96 hrs

Test substance: Product

Toxicity to daphnia and other : LC50 Mysis Shrimp (*Mysidopsis bahia*): 18 mg/l

aquatic invertebrates

Exposure time: 96 hrs

Test substance: Product

LC50 *Ceriodaphnia dubia*: 13 mg/l

Exposure time: 48 hrs

Test substance: Product

NOEC Mysis Shrimp (*Mysidopsis bahia*): < 10 mg/l

Exposure time: 96 hrs

Test substance: Product

LC50 *Daphnia magna*: 15.2 mg/l

Exposure time: 48 hrs

Test substance: Product

EC50 *Daphnia magna*: 15.2 mg/l

Exposure time: 48 hrs

Test substance: Product

NOEC *Daphnia magna*: 6.3 mg/l

Exposure time: 48 hrs

Test substance: Product

Toxicity to algae : EC50 Marine Algae (*Skeletonema costatum*): 0.003 mg/l

Exposure time: 72 h

Test substance: Active Substance

EC50 Green Algae (*Pseudokirchneriella subcapitata*,
previously *Selenastrum capricornutum*): 0.018 mg/l

Exposure time: 72 h

Test substance: Active Substance

Components

Toxicity to fish (Chronic : 2-Methyl-4-Isothiazolin-3-one

toxicity)

NOEC: 4.93 mg/l

Exposure time: 98 d

Species: *Oncorhynchus mykiss* (rainbow trout)

Components

Toxicity to daphnia and other : 2-Methyl-4-Isothiazolin-3-one

aquatic invertebrates

NOEC: 0.044 mg/l

SAFETY DATA SHEET

NALCO® 7330

(Chronic toxicity)

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Persistence and degradability

Total Organic Carbon (TOC) : 7,850 mg/l

Chemical Oxygen Demand (COD): 20,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period

Value

Test Descriptor

20 mg/l

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	:	<5%
Water	:	30 - 50%
Soil	:	50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Disposal methods : Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

SAFETY DATA SHEET

NALCO® 7330

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one
UN/ID No. : UN 3265
Transport hazard class(es) : 8
Packing group : II

Air transport (IATA)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one
UN/ID No. : UN 3265
Transport hazard class(es) : 8
Packing group : II

Sea transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one
UN/ID No. : UN 3265
Transport hazard class(es) : 8
Packing group : II

*Marine pollutant : 5-Chloro-2-Methyl-4-Isothiazolin-3-one

* Note: This product is regulated as a Marine Pollutant when shipped by Rail or Highway (in bulk quantities), and when shipped by water in all quantities.

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 5-Chloro-2-Methyl-4-Isothiazolin-3-one

EPA Reg. No. : 1706-153

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Cupric Nitrate	3251-23-8	100	132275

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals
Acute toxicity (any route of exposure)
Respiratory or skin sensitisation

SAFETY DATA SHEET

NALCO® 7330

Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS :

United States TSCA Inventory

This product is exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory List.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

Substances regulated under the Pest Control Products Act are exempt from CEPA New Substance Notification requirements.

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Taiwan Chemical Substance Inventory


All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

NALCO® 7330

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 07/13/2022
Version Number : 3.0
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.